Date:

Thursday, 10/08/2006 10:01:45 AM

User:

Linda Lacelle

Process Sheet

Customer Job Number : CU-DAR001 Dart Helicopters Services

: 28130

Estimate Number

: 11489 A14:

P.O. Number This Issue

: 10/08/2006

Prsht Rev. : MA First Issue

: 25270 **Previous Run**

Written By **Checked & Approved By**

Comment

: Est Rev: A

: SMALL /MED FAB

S.O. No. : NIA .

05.12.15 New Issue

Project Number

Drawing Revision Material

Due Date

Drawing Name

Part Number

Drawing Number

: D2003027 . D2003 REV B

: TUBE ASSEMBLY

Ala:

: 05/09/2006

Qty:

5 Um:

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: 6061-T6 Tube .500 x.035W

1.0

Comment: Qty.: 0.6999 f(s)/Unit Total: 3.4997 f(s)

Material: 6061-T6 tubing Ø 0.500" x 0.035" wall (M6061T6T0.500W.035)

Batch: <u>M 4692</u>

06.08.14

2.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Form tube as per template D2003-027

3.0

QC5

INSPECT WORK TO CURRENT STEP



06.08.14

Comment: INSPECT WORK TO CURRENT STEP

4.0

Firesleeve-crkl .375IDia



Comment: Qty.:

0.6343 f(s)/Unit Total:

3.1715 f(s)

Firesleeve-crkl .500IDia

M2650-6

Part Number Description

Heat Sleeve

26.08.15

5.0

MS208198D

2.1000 Each(s)/Unit Total:

10.5000 Each(s)

Pick:

Comment: Qty.:

Page 1

Form: rprocess

Dart Ae	rospace	Ltd						
W/O:			WO	RK ORDER CHANGES		· · · · · · · · · · · · · · · · · · ·		
DATE	STEP	PRO	OCEDURE CHAI	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			3					
•								
:								<u> </u>
Part No	:	PAR #:	Fault Categ	ory: N	CR: Yes	No DQA:	Date: _/	1/80/20
			mys se		QA: N/	C Closed:	Date: _	
NCR:		\	WORK ORDE	R NON-CONFORMANC	E (NCR)			
DATE	OTED	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector

		Description of NC		Corrective Action Section B	Verification	ication Approval	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector
-								
		·						
			1					
		÷ .	+					
İ								

NOTE: Date & initial all entries

Date: Thursday, 10/08/2006 10:01:45 AM User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job Number: 28130 Part Number: D2003027 Job Number: Description: Seq. #: **Machine Or Operation:** Part Number Description Batch Qty M 19099 2 MS20819-8D Sleeve FF 06.08.15 6.0 AN8188D Nut Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick: Qty Part Number Description Batch M19413 06.08.15 AN818-8D SMALL & MEDIUM FAB RESOURCE 1 7.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Cut tube 7.38" long as per Dwg D2003 Cut Heat sleeve 7.25" long as per Dwg D2003. FF 06.08.15 Install Red decal and heat shrink **B** 218649 Assemble as per Dwg D2003 8.0 QC5 INSPECT WORK TO CURRENT STEP 06/03/16 Comment: INSPECT WORK TO CURRENT STEP **PACKAGING 1 PACKAGING RESOURCE #1** 9.0 **Comment: PACKAGING RESOURCE #1** Identify and Stock Location: STOB DOCUMENT CONTROL 10.0 DC **Comment: DOCUMENT CONTROL** 06/08/17 Inspection Level 21 Job Completion

Form: rprocess

Page 2

Dart Aerospace Ltd

W /O:		WORK ORDER CHANGES											
DATE	STEP	PR	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
						<u> </u>							
Part No		PAR #:	Fault Category:	NCR: Ye	s No DQ	A:	Date:						
				QA:	N/C Close	d:	_ Date: _						

NCR:		WORK ORDER NON-CONFORMANCE (NCR)												
		Description of NC		Corrective Action Section E	Verification	Varification Assessed								
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector						
			•			!								

NOTE: Date & initial all entries





	DESIG	4)_	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
	CHEC	KED	APPROVED	DRAWING NO. REV. 8
	4	10	1 777	D2003 SHEET 1 OF 2
	DATE	,		TITLE SCALE
	99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NTS
	Α		90.04.09	NEW ISSUE
• ;	В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S;




P/N	TEMPLATÉ	HEATSLEEVE LENGTH ¹	CUT LENGTH OF TUBE ²	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	DESC	MATERIAL ^{4/8/7}	VENDOR OR SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7,3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	VWV-T-700/6
D2003-019	T2003-019	9.8	10,62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2.			TUBE ASS'Y	6061-76 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
02003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3,50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD × 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6,25				-	1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12,75	12.25	<u> </u>				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6 STRATOFLEX
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX STRATOFLEX
D2003-16	T2003-16	4.0							<u> </u>	HEATSLEEVE	M2650-16 CRINKLE-SOFT 6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	VV 250.0 X U.O 275.0 81-1808	VVVV-1-700/0





ļ	DESIGN	DRAWN BY	DART	AEROSPA	CE LTD
	1	100	HAWI	KESBURY, ONTARIO,	CANADA
	CHECKED	APAROVED	DRAWING NO.		REV. B
	46	14	D2003		SHEET 2 OF 2
	DATE		TITLE		SCALE
	99.06.08		206 CABIN HI	EATER TUBE	ASSEMBLIES NTS



Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

